

# Entourage

by Glaval Bus

## **Up to 33 Passenger Seating**

The Entourage delivers superior quality and versatility built on the rugged Ford F-550 Super Duty chassis. The Entourage is both economical and flexible enough to suit any of your transportation solutions. If ADA equipment is required, a wide range of floor plan configurations with a wheelchair lift are available. This mid-size bus can be built to accommodate various types of floor plan arrangements, seating up to 33 passengers. With its impressive sleek and aerodynamic styling, the Entourage is both brawn and beauty!



Unit shown with optional features

# OUR STANDARDS

## INTERIOR OPTIONS

- Ceiling Feature Panel and Modesty Panel Treatment
- Carpeted Walls
- RCA Rubber Flooring
- ALTRO Flooring
- Seating: Freedman, Feather Weight,
- Amaya; Various Fabric Choices Available
- Fabric Insert on Overhead Luggage Racks
- Overhead Luggage with Ducted Air and Reading Lights

## CLIMATE CONTROL

- 68,000-118,000 BTU Air conditioning
- 35,000-65,000 BTU Heaters

## PARATRANSIT OPTIONS

- ADA Lighting (Lift and Door)
- ADA Signs
- Double Doors (Lift)
- Belt Storage Box
- Interlock System
- Padding Kit
- Surelok/Ostraint Tiedowns
- Lift Package, Braun
- Lift Package, Maxon
- Lift Package, Ricon

Lift Package Includes: Single Door; Lift; Park Interlock; ADA Signs; Door Activated Lift and Entrance Lighting, Rear Exhaust) Rear or Roadside Exhaust Required on Rear Lift Models.)

## SAFETY OPTIONS

- Escape Hatch
- Exit Window Alarm
- Hand Rail, Entrance (Right Hand)
- Hand Rails, Overhead
- Mirror, Cross View
- Mirror, Interior
- Additional Emergency Egress Window
- Fresnal Lens
- Safety Package: Extinguisher; FA Kit; Triangles; Backup Alarm
- Seat Belts

**NOTE: These are just a few of the options available. Please request further information if not listed.**



## Optional Bonded Windows

- Gives the unit a more stream lined appearance.
- Combined with black out paint gives a more coach look.



## Full View Curb Side Window

For improved visibility and safety



## Custom Driver Console

- Ergonomically designed for ease of use
- Allows the driver to have better access to the passenger area.



## Bolted Structures

Mechanically fastened walls to floor; roof to walls – reduced stress points



## In-House Undercoating

- Units are sealed with expanding spray foam.
- Then fully undercoating
- Toe-In Toe-Out Alignment Standard – ready for service upon delivery



## Side Mounted Rear View Mirrors

For improved visibility and safety



## "Steel-Safe" Frame featuring Flo-Coat® 1-½" square galvanized steel tube

- "Steel-safe" Construction – superior structural integrity for greater safety and durability
- "Steel-safe" Unibody Floor Construction – protection and strength to withstand impact
- 24" Centers on Steel Structure—efficiency, integrity and simplicity
- Fully Galvanized Structure – Flo-Coat® square tube for ultimate rust protection

# SET US APART



## Electric Panel

With laminated legend mounted on door panel for ease of troubleshooting.



## 1/4" Full Length Rubber Isolator

- Extends the full length of the frame rail
- Allows even weight distribution reducing isolated stresses on structures



## Galvanized Wheel Well & Stepwell Protection

Rust prevention at high corrosion areas



## Structural Foam Insulation in Roof

- Entire roof is sprayed with expanding insulation foam for superior passenger heat and A/C efficiency
- Less outside noises
- Structural Rigidity



## "Steel-Safe" Frame featuring Flo-Coat® 1-1/2" square galvanized steel tube

- "Steel-safe" Construction – superior structural integrity for greater safety and durability
- "Steel-safe" Unibody Floor Construction – protection and strength to withstand impact
- 24" Centers on Steel Structure—efficiency, integrity and simplicity
- Fully Galvanized Structure – Flo-Coat® square tube for ultimate rust protection



## Standard Cove Molding

Cove Molding – Radius edges for easier cleaning and maintenance



## Lift Mounted to Floor Frame Structure

Wheel Chair Lift Mounted Directly to 1/4" Steel Plates Integrated Into Steel Floor Structure for Superior Strength Allows for Constant Torque and Stability

## ELECTRICAL OPTIONS

- Defrost Fan
- Destination Sign
- Dome Lights, Door Activated
- Door Ajar Buzzer and Light
- 8D Battery w/Slide-Out Tray
- PA System
- Two-Way Radio Prep

## EXTERIOR OPTIONS

- Electric Door, 40" w/Ext. Key Switch
- Door, Rear Exit
- Painted, Galvanneal Steel Skin Roof
- Stepwell, Stainless Steel
- Underbelly Steel
- Bonded Windows w/Full Blackout Paint

## EXTERIOR PAINT OPTIONS

- Custom Paint/Custom Graphic
- Painted Wheel Rims
- Various Graphic Packages
- Blackout Windows
- Painted Skirt

## LUGGAGE/STORAGE OPTIONS

- Interior Luggage Racks (Various Sizes)
- Overhead Luggage Racks w/Lights
- Rear Luggage Compartment
- Sliding Luggage Wall Package
- Under Floor Storage Boxes
- Cargo Netting

## CHASSIS OPTIONS

- Hour Meter
- Hubometer
- Jack and Lug Wrench
- Kelderman Rear Air Suspension
- MOR/ryde Rear Suspension
- Rear Step Bumper
- Spare Tire
- Stainless Steel Wheel Inserts
- Telma Retarder
- Rear Tow Hooks
- Exhaust, Rear
- Anti-Ride Bumper
- Chrome-Exhaust Deflector-Gas only
- Exhaust, Rear: Gas
- Exhaust, Roadside: Diesel

## CHASSIS SPECIFICATIONS

\* All Measurements Approximate

	<i>Diesel</i>	<i>Gas</i>
<b>Engine</b>	6.7L Power Stroke V-8	6.8L 3V SEFI V-10
<b>Engine Rating</b>	300 hp / 660 ft. lbs. Torque	362 hp / 457 ft. lbs. Torque
<b>G.V.W.R.</b>	19,500 lbs.	19,500 lbs.
<b>Alternator</b>	Dual 200 Amp & 157 Amp (357 Amp Combined)	Single 157 Amp
<b>Fuel System</b>	Dual Tanks: 40 Gallon and 28 Gallon - 68 Gallons Combined (Includes Switch on Dash)	Single Tank: 40 Gallons
<b>Alternative Fuel</b>	B-20 Capable	CNG Option
<b>Rear Axle Ratio</b>	4.88	4.88
<b>Transmission</b>	Heavy Duty TorqShift 6-Speed Select Shift Automatic	TorqShift 5-Speed Automatic
<b>Parking Brake</b>	Foot Pedal, Hand Release	Foot Pedal, Hand Release
<b>Wipers</b>	Intermittent	Intermittent
<b>Battery</b>	2 Batteries 1500 CCA (750 each)	2 Batteries 1300 CCA (650 each)
<b>Cruise Control</b>	Standard	Standard
<b>High Idle</b>	Standard	Standard
<b>Power Steering</b>	Standard	Standard
<b>Wheels</b>	Dual Rear Wheels (19.5") Six, 10-Whole Disc, 19.5" x 6" RW Steel (Gray)	Dual Rear Wheels (19.5") Six, 10-Whole Disc, 19.5" x 6" RW Steel (Gray)
<b>Tires</b>	Steel-Belted Radial, All-Season Tires: Continental BSW 225/70 R x 19.5G	Steel-Belted Radial, All-Season Tires: Continental BSW 225/70 R x 19.5G
<b>Headlamps</b>	Halogen	Halogen
<b>Engine Block Heater</b>	Standard	Standard
<b>Running Lights</b>	Daytime	Daytime
<b>Driver's Air Bag</b>	Standard	Standard
<b>Brakes</b>	Front & Rear Disc	Front & Rear Disc
<b>Anti-Lock</b>	4-Wheel	4-Wheel
<b>Traction Control</b>	Engine Only	Engine Only
<b>Hill Start Assist</b>	Standard	Standard
<b>Stereo</b>	AM/FM/CD/MP3 w/Digital Clock with 8 total speakers (includes 1 in the drivers door)	AM/FM/CD/MP3 w/Digital Clock with 8 total speakers (includes 1 in the drivers door)
<b>Bumper/Grill</b>	Chrome Front Bumper with Chrome Grill (Optional Black Grill)	Chrome Front Bumper with Chrome Grill (Optional Black Grill)
<b>Air</b>	Automotive	Automotive
<b>Tow Hooks</b>	Front Frame Mounted	Front Frame Mounted
<b>Driver's Seat</b>	OEM HD Vinyl, Manual	OEM HD Vinyl, Manual
<b>Exhaust</b>	Alumized Steel, Roadside Routed	Alumized Steel, Curbside Routed

## 5 YEAR/100,000 MILE LIMITED CONVERSION WARRANTY



Scan this barcode using a QR Reader on your Smartphone to learn more about Forest River



## MODEL SPECIFICATIONS

\* All Measurements Approximate

<b>Chassis</b>	Ford F-550 Super Duty
<b>Wheelbase</b>	201", 228" and 252"
<b>Front Axle Rating</b>	7,000
<b>Rear Axle Rating</b>	14,760
<b>Overall Length (Bumper to Bumper)</b>	25', 27', 29, 31', 32' and 33'
<b>Overall Width</b>	96" (excluding mirrors and flairs)
<b>Overall Height (Excludes Escape Hatch or Roof A/C)</b>	Approximately 120" (Note: overall height can vary pending bus depending on bus length and option content)
<b>Front Overhang</b>	37 3/8"
<b>Interior Height</b>	78"
<b>Interior Width</b>	92"
<b>Interior Floor Height From Ground</b>	43 1/2"
<b>Aisle Width</b>	18"
<b>Clear Door Opening</b>	30" x 87"
<b>Ground to First Step</b>	11 1/2"
<b>Step Riser</b>	7 5/16"
<b>Step Tread</b>	9"
<b>Step Width</b>	34"

### STANDARD CONVERSION FEATURES

- "Steel-Safe" Constructed Floor, Roof and Sidewalls
- Galvanized Steel Floor Frame
- Galvanized Steel Stepwell
- Galvanized, All Structure
- 5/8" Treated Marine Grade Plywood Flooring
- Gray Koroseal Commercial Flooring w/Ribbed Aisle Cove Molding
- Vacuum Laminated Construction, Side and Rear
- Fiberglass Front Cap
- Fiberglass Composite Roof
- T-Slide Windows
- Full View Curb Window
- Electric Panel w/ Diagnostic Fuses
- LED Stepwell Lights
- Vinyl Clad Luan Ceiling & Interior Sidewalls
- Track Seating
- Flat Floor
- Curbside Entrance Modesty Panel & Stanchion
- Rear Center Brake Light (LED)
- Rear Mud Shield
- Steel Rear Bumper (Powder Coated)
- Window Drip Rails
- Rub Rails
- White Exterior
- Foamed In-Place Roof Insulation
- Front End Alignment (Toe-In, Toe Out)
- Under-Coating with Warranty
- Side Directional Lights (Incandescent)
- Driver's Side Diamond Plate Cab Mounted Entry Step
- Electric Door, 30" w/ Ext. Key Switch
- Side Mounted Rear View Mirrors (Manual)

### PARATRANSIT OPTIONS


- ADA Lighting (Lift and Door)
- ADA Signs
- Double Doors (Lift)
- Belt Storage Box
- Interlock System
- Padding Kit
- Surelok/Ostraint Tiedowns
- Lift Package, Braun
- Lift Package, Maxon
- Lift Package, Ricon

Lift Package Includes: Single Door; Lift; Park Interlock; ADA Signs; Door Activated Lift and Entrance Lighting, Rear Exhaust (Rear or Roadside Exhaust Required on Rear Lift Models.)

## FLOORPLANS



29' 20 Passenger with 2 Wheelchair Positions




29' 28 Passenger




32' 24 Passengers with 2 Wheelchair Positions



33' 26 Passenger with 2 Wheelchair Positions



33' 32 Passenger



33' 29 Passenger and Interior Luggage



Driver's Area Shown with Optional Observation Window  
SPECIFICATIONS AND OPTIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE